OVENS - FAGOR
901010007
6H-200ARX



	01 - GENERAL FEATURES	Value
	COOKING METHOD	MULTIFUNTION PLUS
	AESTHETIC OVEN LINE	C
	BUILT-IN / FREE-STANDING	BUILT-IN
	INSTALATION	INDEPENDENT OVEN
	ENERGY INPUT	ELECTRIC
	USABLE VOLUME (L) CAVITY 1	51 L
	DOOR OPENING	RIGHT SIDE
	Door Material	STAINLESS STEEL & GLASS
	FRONT	STAINLESS STEEL & GLASS
	INNER DOOR GLASS	YES
	FRONT COLOR	STAINLESS STEEL ANTI-FINGERPRINT
	KNOBS COLOR	BLACK
	HANDLE TYPE	ALUMINUN TOWEL RAIL
	Control panel material	INOX-VIDRIO
	DISPLAYED FEATURES	TIME
M	TIME CONTROL	ELECTRONIC
	FUME AND ODOUR CATALIZER	NO
	SPECIAL FUNCTIONS	PIZZA AND CELERIS
	Nº OF COOKING PROGRAMS	8
	NUMBER OF THERMO-REFLECTANT GLASSES	1
	STEAM OUTLET SYSTEM	VENTILATED OUTLET
	ENERGY TYPE	ELECTRIC
	HMI INTERACTION : KNOBS TYPE	PUSH-PULL LIGHTED
	HMI INTERACTION : HOBS CONTROLS	NO
	02 - EQUIPMENT	**Value**
	TEMPERATURE CONTROL	THERMOSTATIC
	TEMPERATURE CONTROLLLLL	THERMOSTATIC

	Time-setting options	START/STOP
	POWER SUPPLY CABLE	YES
	"DEMO" FUNCTION	YES
	FOLD DOWN GRILL	NO
	TURN SPIT	NO
M	INTERIOR SIDE RACKS	3 POINT CHROMED
	PILOT INDICATOR 'IN OPERATION'	LIGTH RING
	THERMOSTAT PILOT INDICATOR	RED
	LENGTH OF ELECTRICAL SUPPLY CABLE (CM)	108
	INNER LIGHTS	YES
	CAVITY MATERIAL	ENAMELLED STEEL
	SMOOTH / FLAT CAVITY	YES
	PRE-SELECTION Tª	YES
M	CLEANING SYSTEM	MANUAL "AQUA"
	03- SAFETY	**Value**
	AUTO CUT OFF FOR TEMPERATURE	YES
	CHILD LOCK	YES
	AUTOMATIC DOOR LOCK (PYROLISIS FUNCTION)	NO
	NUMBER OF GLASSES	3
	04 - ACCESSORIES	**Value**
	CHROMED GRID TRAY 45 (STOPS)	1
	TELESCOPIC GUIDES (PSP1)	1
	ENAMELLED DEEP TRAY (45MM)	1
	04- LIGHTING	**Value**
M	LAMP TYPE	INCANDESCENT
M	NUMBER OF LAMPS	1
	05 - ENERGY INPUT	**Value**
	ELECTRICAL CONNECTION RATING (KW)	3,57 KW
M	GRILL POWER (KW)	2,6
	TURBO POWER (KW)	2,10 KW
	BOTTOM POWER (KW)	1,5 KW
	VOLTAGE / FREQUENCE (V/HZ)	230 / 50
	CURRENT (AMP)	16
	06 - COOKING FUNCTIONS	**Value**
	DEFROST	YES
M	FAN + BOTTOM DOUBLE (PIZZA)	YES
M	FAN + CIRCULAR = TURBO PLUS = CONVECTOR	YES
M	FAN + STRONG GRILL	YES
M	FAN + TRADITIONAL	YES
M	SOFT GRILL	YES
M	STRONG GRILL	YES
M	TRADITIONAL	YES
	VARIABLE GRILL (POSITIONS)	2
	08 - ENERGETIC DATA	**Value**
	ENERGY EFFICIENCY	A
M	CONVENTIONAL ENERGY CONSUMPTION (KW/H)	0,79
M	VENTILATED CONVENTIONAL ENERGY CONSUMPTION (KW/H)	0,71

TAMAÑO CAVIDAD	MEDIUM
AREA OF LARGEST TRAY (CM2)	1638
11 - LOGISTIC DATA	**Value**
EXTERNAL DIMENSIONS: HEIGHT (MM)	595
EXTERNAL DIMENSIONS: WIDTH (MM)	592
INTERNAL DIMENSIONS (CAVITY): HEIGHT (MM)	322
INTERNAL DIMENSIONS (CAVITY): WIDTH (MM)	420
INTERNAL DIMENSIONS (CAVITY): DEPTH (MM)	380
BUILT IN NICHE DIMEN. INSTALL. UNDER WORKTOP (MM)	600 X 560 X 555
PACKED DIMENSIONS WIDTH (MM)	655
PACKED DIMENSIONS DEPTH (MM)	605